

BRYSTON
SWISS CHF PRICELIST INC MWST 05/21

BRYSTON

BRYSTON

BDA-3.14 STREAMER | DAC

MGM
THE AUDIO COMPANY

Amplifiers

	Description	Options	VK inkl. MwSt
28B³ 	Description Cubed Series monoblock amplifier Channels: 1 Rated Power: 1000W (8Ω) Input: Balanced XLR, and unbalanced RCA	Size: 17 or 19" wide 19" includes front handles, 17" doesn't Color: Black or Silver dress panel LEDs: Standard color is Green. Blue optional	CHF 12495.-
7B³ 	Description Cubed Series monoblock amplifier Channels: 1 Rated Power: 600W (8Ω) Input: Balanced XLR/TRS, and unbalanced RCA	Size: 17 or 19" wide or Pro Rack Mount 19" includes front handles, 17" doesn't Color: Black or Silver dress panel Pro is always black and includes handles LEDs: Standard color is Green. Blue optional	CHF 6995.-
14B³ 	Description Cubed Series monoblock amplifier Channels: 2 Rated Power: 600W (8Ω) Input: Balanced XLR/TRS, and unbalanced RCA	Size: 17 or 19" wide or Pro Rack Mount 19" includes front handles, 17" doesn't Color: Black or Silver dress panel Pro is always black and includes handles LEDs: Standard color is Green. Blue optional	CHF 11495.-
4B³ 	Description Cubed Series dual-mono amplifier Channels: 2 Rated Power: 300W (8Ω) Input: Balanced XLR/TRS, and unbalanced RCA	Size: 17 or 19" wide or Pro Rack Mount 19" includes front handles, 17" doesn't Color: Black or Silver dress panel Pro is always black and includes handles LEDs: Standard color is Green. Blue optional	CHF 6995.-
3B³ 	Description Cubed Series dual-mono amplifier Channels: 2 Rated Power: 200W (8Ω) Input: 2 Balanced XLR/TRS, and 2 unbalanced RCA	Size: 17 or 19" wide or Pro Rack Mount 19" includes front handles, 17" doesn't Color: Black or Silver dress panel Pro is always black and includes handles LEDs: Standard color is Green. Blue optional	CHF 5995.-
2.5B³ 	Description Cubed Series dual-mono amplifier Channels: 2 Rated Power: 135W (8Ω) Input: Balanced XLR/TRS, and unbalanced RCA	Size: 17 or 19" wide or Pro Rack Mount Color: Black or Silver dress panel Pro is always black LEDs: Standard color is Green. Blue optional	CHF 4495.-
9B³ Multi Channel 	Description SST ² Series multi channel modular amplifier Channels: 3 4 or 5 Rated Power: 140W (8Ω) Input: Balanced XLR/TRS, and unbalanced RCA	Channels: Specify 3, 4 or 5 channels when ordering. Size: 17 or 19" wide or Pro Rack Mount 19" includes front handles, 17" doesn't Color: Black or Silver dress panel. Pro is always black and includes handles LEDs: Standard color is Green. Blue optional	5x 200W: CHF 13995.- 4x 200W: CHF 11995.- 3x 200W: CHF 9995.- single module 200W: CHF 2195.-
21B³ 	Description Asymmetric 3 Channel Class A/B Amplifier Channels: 3 Rated Power: 1x 600W (8Ω) + 2x 300W (8Ω) Input: Balanced XLR/TRS, and unbalanced RCA	Size: 17 or Pro Rack Mount Color: Black or Silver dress panel LEDs: Standard color is Green. Blue optional	CHF 11995.-



MGM Audio AG
 Riethofstrasse 6
 8152 Glattbrugg
E info@mgmaudio.ch
T +41 44 439 90 80
 www.mgmaudio.ch
 05/2021 CHF RETAIL INC VAT

- Items subject to change without prior notice
- MGM Audio AG Standard Trading Terms & Conditions apply

Surround Processors

SP3



Description

Premium surround processor with all discrete analog circuitry and 4K video passthrough.
Input: 8 HDMI (1 is HDCP 2.2), USB, S/PDIF, Toslink, balanced and unbalanced analog
Out: 2 HDMI, S/PDIF, Toslink, balanced and unbalanced analog, 2 assignable analog out, Zone 2.
Control: RS232, TCP/IP, Web App, IR.

Options

Size: 17 or 19" wide or Pro Rack Mount
Color: Black or Silver dress panel (Pro always black)
Display and LEDs: Standard color is Green. Blue optional

VK inkl. MwSt

CHF 10495.-

SP4



16 Channel Immersive Theater Processor

Analog Inputs: RCA configurable as 7.1 group or 4 pairs of stereo.
Digital Inputs: 7 HDMI
Analog Outputs: 16 ea. assignable XLR output, 2 ea. XLR dedicated left/right stereo downmix
Digital outputs: 2x HDMI
Control Inputs: RJ-45 10/100 ethernet, IR I/O 1/8" mini

Dirac Live Installer Kit: Includes microphone, floorstanding tripod, tabletop tripod, USB cable, Powered USB extension cord, microphone pop filter all packed in custom Pelican travel case or Pro Rack Mount
SphereAudio License: Enhance headphone listening with custom immersive surround emulation from 2 channel headphones.
16 Channel RCA Board: If you prefer to use RCA outputs, this board lets you do so. Duplicates existing XLR out. Does not expand unit to 32 channel.

CHF 16995.-

Preamplifiers

BR-20



Description

2-Channel Preamplifier
Input: 2 ea. Balanced and Single Ended Inputs
Outputs: 2 ea. Balanced Outputs

Options

Size: 17 or 19" wide (non-rack mountable)
Color: Silver or Black faceplate
HDMI Card: Internal 4 input, 1 output, is 4K HDR compatible.
 Can also receive DSD over HDMI

VK inkl. MwSt

CHF 6495.-

BP-26



Flagship stereo preamp w/ DAC and MM/MC options.
Requires MPS-2 or PS-3 power supply
Channels: 2
Input: 6 RCA unbalanced, 2 with digital option, tape loop, 1 with MM/MC phono option
Out: 1 pair XLR, 1 pair RCA, 1/4" headphone, RCA Tape out.
Control: DC trigger, RS232

Size: 17 or 19", Rack ears available
Color: Silver or Black dress panel.
LEDs: Standard color is Green. Blue optional
Remote: BR-2 IR remote optional
BP-26 DA includes DAC:
 Optional 96/24 2 RCA s/pdif input
BP-26 P includes MM Phono:
 Optional phono stage
BP-26 MC includes MM/MC Phono:
 Optional phono stage with step up transformer

BP-26:	CHF	4295.-
BP-26 DA:	CHF	5295.-
BP-26 MM:	CHF	5295.-
BP-26 MC:	CHF	5995.-

BP-17³



Stereo preamp w/ DAC and MM phono options.
Channels: 2
Input: 6 RCA unbalanced, 2 with digital option, tape loop, 1 with MM/MC phono option
Out: 1 pair XLR, 1 pair RCA, 1/4" headphone, RCA Tape out
Control: DC trigger, RS232

Size: 17 or 19", Rack ears available
Color: Silver or Black dress panel.
LEDs: Standard color is Green. Blue optional
Remote: BR-2 IR remote optional
BP-17 DA includes DAC:
 Optional 96/24 2 Toslink & 2 RCA s/pdif input
BP-17 P includes MM Phono:
 Optional phono stage

BP-17 ³ :	CHF	4795.-
BP-17 ³ DA:	CHF	5795.-
BP-17 ³ MM:	CHF	5795.-
BP-17 ³ DA+MM:	CHF	6695.-



MGM Audio AG
 Riethofstrasse 6
 8152 Glattbrugg
E info@mgmaudio.ch
T +41 44 439 90 80
 www.mgmaudio.ch
 05/2021 CHF RETAIL INC VAT

- Items subject to change without prior notice
- MGM Audio AG Standard Trading Terms & Conditions apply

Integrated Amplifiers

B-135³



Description	Options	VK inkl. MwSt	
Integrated w/ DAC and MM options Channels: 2 Rated Power: 135W (8Ω) Input: 6 unbalanced RCA, 4 with digital option. tape loop, 1 with MM phono option	Size: 17 or 19", Rack ears available Color: Black or Silver dress panel LEDs: Standard color is Green. Blue optional Remote: BR-2 IR remote optional B-135 ³ DA includes DAC: Optional 96/24 2 toslink, 2 RCA B-135³ P includes MM Phono: Optional phono stage	B-135 ³ : B-135 ³ DA: B-135 ³ MM: B-135 ³ DAP:	CHF 6995.- CHF 7995.- CHF 7995.- CHF 8695.-

Headphone Amplifiers

BHA-1



Description	Options	VK inkl. MwSt	
Headphone amplifier with balanced and single ended outputs In: Analog RCA, XLR, Mini TRS Out: XLR Preamp out (rear), L/R XLR-3, XLR-4, 1/4" TRS	Size: 17 or 19" wide Color: Black or Silver dress panel Rack ears LEDs: Standard color is Green. Blue optional		CHF 2495.-

Digital

BDA-3.14



Description	Options	VK inkl. MwSt	
DAC / Streamer / Preamp inputs: 4 HDMI, 2 USB, AES/EBU, S/PDIF RCA, S/PDIF BNC, and Toslink Out: Fully discrete Class-A balanced analog outputs	Size: 17" or 19" faceplate (non-rack mountable) Color: Silver or black faceplate LEDs: Standard color is Green. Blue optional		CHF 4195.- WiFi Dongle: CHF 125.-

BDA-3



Description	Options	VK inkl. MwSt	
D/A Converter In: 4 HDMI, 2 USB, S/PDIF, AES/EBU, Optical Out: Fixed level stereo XLR, RCA. 4K video pass through	Size: 17" or 19" wide Color: Black or Silver dress panel Rack ears LEDs: Standard color is Green. Blue optional		CHF 3795.-

BDP-3



Description	Options	VK inkl. MwSt	
Digital Music Player Music Storage: USB Drive, NAS, Tidal, Internal Out: PCM only: S/PDIF (BNC) and AES/EBU, DSD & PCM: USB Control with Bryston's web-app. Compatible with Tidal, Roon.	Size: 17" or 19" wide Rack ears Color: Silver or black dress panel (Pro always black) LEDs: Standard color is Green. Blue optional		CHF 4295.- Internal WiFi: CHF 295.- WiFi Dongle: CHF 125.-

BCD-3



Description	Options	VK inkl. MwSt	
CD Player compatible with CD, CD-R, CD-RW Out: Analog unbalanced RCA & balanced XLR, Digital S/PDIF (RCA) AES/EBU (XLR) Control: RS232, TCP/IP, Web App, IR.	Size: 17" or 19" wide Color: Black or Silver dress panel (Pro always black) Display and LEDs: Standard color is Green. Blue optional		CHF 4195.-



MGM Audio AG
Riethofstrasse 6
8152 Glattbrugg
E info@mgmaudio.ch
T +41 44 439 90 80
www.mgmaudio.ch
05/2021 CHF RETAIL INC VAT

- Items subject to change without prior notice
- MGM Audio AG Standard Trading Terms & Conditions apply

External Power Supply

PS-3



Description

Highly regulated DC power supply for BP-26, BP 1.5, BP-2, 10B.
In: A/C Mains
Out: 1 ea. XLR-6 DC voltage
Control: DC Trigger

Options

Color: Black or Silver dress panel
Display and LEDs: Standard color is Green. Blue optional.

VK inkl. MwSt

CHF 1195.-

Advanced IR Remote

BR-4



Description

Machined aluminum, EL backlit Bryston universal remote control. Controls most Bryston electronics.

Options

Color: Black (silver no longer available)

VK inkl. MwSt

CHF 179.-

Digital Crossover

BAX-1



Description

2-Channel Digital Crossover
In: 2-channel XLR from preamplifier
Out: low, mid high for each channel. XLR only. Network connection required to enable web user interface for configuration.

Options

Size: 17 or 19" wide or Pro Rack Mount
Color: Black or Silver dress panel (Pro always black)
LEDs: Standard color is green, Blue optional

VK inkl. MwSt

CHF 3495.-

Phono Preamplifier

BP-2MM



Description

Active class-A phono preamp
Requires MPS-2 or PS-3 power supply
In: RCA + ground lug
Out: 1 ea. XLR-6 DC voltage
Control: DC Trigger

Options

Color: Black or Silver dress panel (Pro always black)
LEDs: Standard color is green, Blue optional. If using with MPS-2, special adapter is required.

VK inkl. MwSt

CHF 1195.-

BP-2MM/MC



Active gain stage plus 20 or 30 dB step up transformer for medium and low output MC cartridges respectively. Requires MPS-2 or PS
Requires MPS-2 or PS-3 power supply
In: RCA + ground lug
Out: RCA
Control: DC Trigger

Gain: Choose BP-2 20 for med output (0.3-1.0mV) cartridges. BP-2 30 for low output (0.1-0.3mV) cartridges
Color: Black or Silver dress panel
LEDs: Standard color is green, Blue optional. If using with MPS-2, special adapter is required.

VK inkl. MwSt

CHF 1795.-

TF-2



Passive 20 or 30 dB step up transformer
In: RCA + ground lug
Out: RCA
Control: DC Trigger

Gain: Choose TF-2 20 for med output (0.3-0.5mV) cartridges. TF-2 30 for low output (0.1-0.3mV) cartridges. Either is OK for 0.3mV
Color: Black or Silver dress panel

VK inkl. MwSt

CHF 1595.-



MGM Audio AG
 Riethofstrasse 6
 8152 Glattbrugg
E info@mgmaudio.ch
T +41 44 439 90 80
 www.mgmaudio.ch
 05/2021 CHF RETAIL INC VAT

- Items subject to change without prior notice
- MGM Audio AG Standard Trading Terms & Conditions apply